

L Number	Hits	Search Text	DB	Time stamp
1	10	(( intermediate\$1 near2 driver) same load\$3 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 10:23
2	10	(( intermediate\$1 near2 driver) same determin\$3 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 10:24
3	29	(( intermediate\$1 near2 driver) with determin\$3 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 10:29
4	7	(( intermediate\$1 near2 driver) with identif\$3 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 10:31
5	21	(( intermediate\$1 near2 driver) with detect\$3 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 10:46
6	11	(( intermediate\$1 near2 driver) with exist\$3 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 10:46
-	0	( CORBA with messag\$3 with queue).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 09:49
-	0	( CORBA same messag\$3 with queue).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 10:41
-	1379	( messag\$3 with queue).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 09:49
-	1594	( messag\$3 with queue\$1).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 10:24
-	0	( messag\$3 with queue\$1 & CORBA).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 09:50
-	10	( messag\$3 with queue\$1 same API).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 10:19
-	13	( messag\$3 with queue\$1 & API).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 10:22
-	0	( messag\$3 with queue\$1 & DLI).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 10:23

-	1	( messag\$3 with queue\$1 & IDL).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 10:23
-	138	14& ( CORBA with API)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 10:28
-	138	L4& ( CORBA with API)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 10:25
-	117	L4& ( CORBA with API) & client & server	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 10:29
-	9	L4& ( CORBA with API with messag\$3) & client & server	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 10:29
-	0	(( messag\$3 with queue\$1).ab.) & ( CORBA with API with messag\$3) & client & server	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 10:29
-	0	(( messag\$3 with queue\$1).ab.) & ( CORBA with API)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 10:28
-	2	( CORBA with API with messag\$3) same client same server	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 10:29
-	9	( CORBA with API with messag\$3) & client & server	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 10:32
-	1	( CORBA with API with messag\$3).ab.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 10:32
-	1	( CORBA same API same messag\$3).ab.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 10:33
-	51	( CORBA same messag\$3).ab.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 10:35
-	1	( CORBA same messag\$3 & API ).ab.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 10:33
-	0	( CORBA same messag\$3 with queue\$1 ) .ab.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 10:34

-	8	( CORBA same messag\$3 & queue\$1 ).ab.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 10:35
-	13	( CORBA same messag\$3 & client & server ).ab.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 10:35
-	11	( CORBA same messag\$3 with queue)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 10:41
-	16	( CORBA same messag\$3 with queue\$1)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 10:47
-	5	( CORBA same messag\$3 with queue\$1)& API	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 10:47
-	16	( CORBA same messag\$3 with queue\$1)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 10:55
-	0	( CORBA same (MQ near2 series) ).ab.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 10:56
-	0	( CORBA & (MQ near2 series) ).ab.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 10:57
-	12	( CORBA same (MQ near2 series) )	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 11:02
-	20	( CORBA same (MQ ) )	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 11:04
-	0	( CORBA & (MQ ) ).ab.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 11:03
-	0	( CORBA same meassag\$3 same API ).ab.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 11:04
-	1	( CORBA same messag\$3 same API ).ab.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 11:08
-	0	( message with ( MQ near2 series ) ).ab.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 11:39

-	1	( ( MQ near2 series ) ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 12:28
-	0	( passenger with message with passing ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 12:29
-	69	( device\$3 with message with passing ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 12:54
-	0	(( network with address ) same ( device\$3 with message with passing ) ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 12:30
-	1	(( network with address ) & ( device\$3 with message with passing ) ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 12:48
-	0	( (framework same device\$3 with message with passing ) ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 12:50
-	0	( ( CORBA same device\$3 with message with passing ) ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 12:50
-	0	( ( CORBA & device\$3 with message with passing ) ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 12:50
-	1	( ( CORBA with message with passing ) ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 12:53
-	1	( ( CORBA & message with passing ) ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 12:55
-	0	( ( device\$3 with message with passing ).ab. ) & CORBA	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 12:54
-	1	( ( device\$3 with message with passing ).ab. ) & framework	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 12:54
-	1	( CORBA & (message with passing ) ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 12:55
-	13	( CORBA same (message with passing ) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 13:10

-	21	( CORBA same (messag\$3 with passing))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 13:11
-	298	( CORBA with (messag\$3 ))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 13:11
-	29	( CORBA with (messag\$3 )).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 13:27
-	478	( COM with (messag\$3 ))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 13:18
-	0	( COM with (messag\$3 ) same farmework)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 13:19
-	0	( COM with (messag\$3 ) same framework)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 13:19
-	4	( COM with (messag\$3 ) same framework)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 13:22
-	0	( COM with (messag\$3 ) same framework).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 13:25
-	71	( COM with (messag\$3 )same device\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 13:23
-	0	( CORBA with (messag\$3 ) same framework).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 13:26
-	29	( CORBA with (messag\$3 ) ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 13:26
-	478	( COM with (messag\$3 ))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 13:27
-	51	( CORBA same (messag\$3 )).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 13:31
-	57	( CORBA & (messag\$3 )).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 15:07

-	433	( (messag\$3 with address with table ) ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 15:08
-	8	( (messag\$3 with address with table same destination ) same translat\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 15:12
-	0	( (messag\$3 with address with table same destination ) & ( translat\$3 with format\$6)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 15:12
-	0	( (messag\$3 with table same destination ) & ( translat\$3 with format\$6)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 15:12
-	88	( (messag\$3 with address with table same destination ) ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 17:11
-	61	( (messag\$3 with address with table with destination ) ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 15:17
-	0	( (messag\$3 with pipe\$1 with format\$6 ) ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 15:17
-	0	( messag\$3 with pipe\$1 with format\$6 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 15:18
-	193	( messag\$3 with translat\$3 with format\$6 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 15:18
-	3	( ( processor near2 messag\$3 ) with translat\$3 with format\$6 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 15:22
-	1	( ( buffer with messag\$3 ) with translat\$3 with format\$6 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 15:24
-	1	( ( buffer\$1 with messag\$3 ) with translat\$3 with format\$6 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 15:33
-	0	( ( IPM ) with translat\$3 with format\$6 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 15:34
-	0	( ( IPM ) with translat\$3 with format\$6 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/23 15:33

-	0	( IPM with translat\$3 with format\$6 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 15:33
-	0	(( IMP ) with translat\$3 with format\$6 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 15:34
-	1	(( IMP ) with translat\$3 with format\$6 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 16:31
-	26	" 6,049,819"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 10:43
-	4	" 6,002,758 "	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 14:54
-	18	( (messag\$3 with log same destination ) ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 17:12
-	0	( (messag\$3 with log with invalid with destination ) ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 17:13
-	0	( (messag\$3 with log with invalid ) ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 17:13
-	22	( (messag\$3 with log with address ) ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 17:13
-	212	( device\$3 with driver with messag\$3 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 11:09
-	4	( device\$3 with driver with messag\$3 with address ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 12:02
-	4	6,002,758	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 12:03
-	0	( CORBA with C++ with message ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 14:55
-	0	( CORBA with C++ same message ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 14:55

-	0	( CORBA with C++ same messag\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/24 14:55
-	0	( CORBA with C++ ).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/24 14:55
-	9	( CORBA with C++ ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 10:45
-	0	( Method near2 apparatus near2 for near2 controlling near2 communication).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 10:46
-	0	( Method near2 apparatus near2 for near2 controlling near2 communication)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 10:47
-	0	( Method near2 apparatus near2 for near2 controlling near2 communications).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 10:47
-	1064	ogilvy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 10:48
-	22	( Method near2 apparatus near2 controlling near2 communications).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 11:29
-	0	(( intermedia near2 driver) with device with protocol).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 11:31
-	0	(( intermedia near2 driver) with device\$1 ) .ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 11:31
-	0	(( intermediate\$1 near2 driver) with device\$1 with protocol).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 11:32
-	26	(( intermediate\$1 near2 driver) with device\$1 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 12:49
-	2	(( ( intermediate\$1 near2 driver) with device\$1 ).ab.) & ( controll\$3 with block\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 12:50
-	2	(( ( intermediate\$1 near2 driver) with device\$1 ).ab.) & ( persistent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 12:08



-	1	((exist\$3 or present\$3)with( intermediate\$1 near2 driver) with device\$1 )ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 12:29
-	1	((exist\$3 or present\$3)with( intermediate\$1 near2 driver) same device\$1 )ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 12:30
-	7	((exist\$3 or present\$3)with( intermediate\$1 near2 driver))ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 12:33
-	2	(( intermediate\$1 near2 driver) same persisten\$3)ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 12:35
-	2	(( intermediate\$1 near2 driver) & persisten\$3)ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 12:34
-	2	(( ( intermediate\$1 near2 driver) )ab.) & persisten\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 12:34
-	3	(( intermediate\$1 near2 driver) same persisten\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 12:36
-	18	(( intermediate\$1 near2 driver) & persisten\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 12:36
-	5	( driver with device\$1 with persisten\$3 )ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 12:37
-	43	(( intermediate\$1 near2 driver) same device\$1 )ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 12:55
-	2	(( ( intermediate\$1 near2 driver) same device\$1 )ab.) & ( controll\$3 with block\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 12:50
-	8	(( intermediate\$1 near2 driver) with (exist\$6 or present\$3) )ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 12:57
-	18	(( intermediate\$1 near2 driver) with (exist\$6 or present\$3) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 13:13
-	797	(( intermediate\$1 near2 driver) with driver )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 13:14

-	183	(( intermediate\$1 near2 driver) with driver ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/25 13:14
-	10	(( intermediate\$1 near2 driver) with (device near2 driver ) ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/25 13:19
-	3	(( intermediate\$1 near2 driver) with detect\$3 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/25 13:21
-	7	(( intermediate\$1 near2 driver) with determin\$3 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/25 13:21
-	21	(( intermediate\$1 near2 driver) with detect\$3 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/25 13:26
-	0	(( intermediate\$1 near2 driver) with discove\$6 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/25 13:26
-	152	(( intermediate\$1 with driver) with detect\$3 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/25 14:25
-	34	(( intermediate\$1 with driver) with detect\$3 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/25 13:27
-	3	(( intermediate\$1 near2 driver) with detect\$3 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/25 13:27
-	10	(( intermediate\$1 near2 driver) same detect\$3 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/25 13:29
-	37	(( intermediate\$1 near2 driver) ).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/25 13:35
-	1	(( intermediate\$1 near2 driver) with replac\$3 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/25 13:36
-	1	(( intermediate\$1 near2 driver) same replac\$3 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/25 13:36
-	9	(( intermediate\$1 near2 driver) with block\$3 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/25 13:38

-	11	(( intermediate\$1 near2 driver) same block\$3 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 13:39
-	183	(( intermediate\$1 near2 driver) ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 14:02
-	1	(( intermediate\$1 near2 driver) with identif\$6 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 13:41
-	2	(( intermediate\$1 near2 driver) same identif\$6 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 13:41
-	12	(( intermediate\$1 near2 driver) with identif\$6 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 13:50
-	29	(( intermediate\$1 near2 driver) same identif\$6 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 13:56
-	6	(( intermediate\$1 near2 driver) with present\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 13:55
-	28	(( intermediate\$1 near2 driver) with select\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 13:55
-	28	(( intermediate\$1 near2 driver) with select\$3 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 13:57
-	0	(( intermediate\$1 near2 driver) with find\$3 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 13:58
-	0	(( intermediate\$1 near2 driver) with distinguish)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 13:59
-	0	(( intermediate\$1 near2 driver) with discover)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 14:00
-	0	(( intermediate\$1 near2 driver) with reveal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 14:00
-	1	(( intermediate\$1 near2 driver) with catch)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 14:00

-	2	(( intermediate\$1 near2 driver) with catch\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 14:00
-	0	(( intermediate\$1 near2 driver) same existence ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 14:02
-	0	(( intermediate\$1 near2 driver) with existence )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 14:02
-	183	(( intermediate\$1 near2 driver) ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 14:38
-	2	(( ( intermediate\$1 near2 driver) ).ab.) & persisten\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 14:26
-	29	(( intermediate\$1 near2 driver) with control\$6 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 14:14
-	0	(( intermediate\$1 near2 driver)with if ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 14:23
-	0	(( intermediate\$1 near2 driver) same if ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 14:23
-	0	(( intermediate\$1 near2 driver) with if )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 14:24
-	0	(( intermediate\$1 with driver) with device\$1 with identif\$3 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 14:29
-	194	( driver with device\$1 with identif\$3 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 14:27
-	1	(( driver with device\$1 with identif\$3 ).ab. ) & ( intermediate near2 driver)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 14:27
-	685	( driver with identif\$3 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 14:27
-	4	(( driver with identif\$3 ).ab. ) & ( intermediate near2 driver)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 14:28

-	9	(( driver with identif\$3 ).ab. ) & ( intermediate with driver)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 14:28
-	2	(( intermediate\$1 with driver) with identif\$3 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 14:29
-	6	(( ( intermediate\$1 near2 driver) ).ab.) & ( driver with identif\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 14:32
-	11	(( ( intermediate\$1 near2 driver) ).ab.) & ( driver with detect\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 14:34
-	685	( driver with identif\$3 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 14:36
-	49880	L72& persisten\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 14:35
-	4	( ( driver with identif\$3 ).ab.) & persisten\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 14:36
-	26	( ( driver with identif\$3 ).ab.) & intermediate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 14:36
-	2	(( intermediate\$1 near2 driver) same cost ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 14:39
-	5	(( intermediate\$1 near2 driver) same protocol ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 14:41
-	6	(( intermediate\$1 near2 driver) same protocol\$1 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 14:41
-	10	(( intermediate\$1 near2 driver) same load\$3 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 14:43
-	0	(( intermediate\$1 near2 driver) same ( event near2 controll\$3 ) ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/26 10:21
-	1	(( intermediate\$1 near2 driver) same ( event near2 control ) ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 14:43

-	1	(( intermediate\$1 near2 driver) same ( control near2 block ) ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 14:44
-	6	(( intermediate\$1 near2 driver) same ( control near2 block ) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 14:47
-	436	(709/321,322,323,324,325,326).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 14:48
-	4	((709/321,322,323,324,325,326).CCLS.) & ( intermediate near2 driver).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 14:49
-	12	((709/321,322,323,324,325,326).CCLS.) & ( intermediate near2 driver)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 14:51
-	3	((709/321,322,323,324,325,326).CCLS.) & ( port near2 driver) with identif\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 14:52
-	6	(( port near2 driver) with identif\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 14:53
-	11	(( port near2 driver) with detect\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 14:55
-	1	(( port near2 driver) & persisten\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/25 14:55